

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problems Mailbox.**



PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6 : G06F 19/00		(11) International Publication Number WO 97/25682
A1		(43) International Publication Date: 17 July 1997 (17.07.97)
(21) International Application Number: PCT/US97/00284		(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IL, IS, JP, KE, KG, KP, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, US, UZ, VN, ARIPO patent (KE, LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).
(23) International Filing Date: 3 January 1997 (03.01.97)		
(30) Priority Data: 08/583,417 5 January 1996 (05.01.96) US		
(71)(72) Applicants and Inventors: HIRSCH, John, D. (US/US): 12020 Carberry Place, St. Louis, MO 63131 (US); RODIN, Ervin, Y. (US/US): 31 Nantucket Lane, St. Louis, MO 63132 (US).		
(74) Agent: UPCHURCH, Gregory, E.; Polster, Lieder, Woodruff & Luchini, 763 South New Ballas Road, St. Louis, MO 63141 (US).		

Published


With international search report.

Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(54) Title: SYSTEM AND METHOD FOR OPTIMAL OPERATING ROOM SCHEDULING AND BOOKING

(57) Abstract

A computer implemented method of optimal scheduling of a plurality of medical procedures by a plurality of surgeons in a set of operating rooms includes computer assistance screens for identifying the resources needed for all the procedures to be performed on a given day and computer assisted procedures for associating the required resources with each procedure. A feasibility check is performed for each procedure before the schedule is optimized. The schedule is optimized according to preset optimality criteria, which criteria may be changed by an authorized user. The method uses both preferred starting intervals and preferred end times for each procedure. Various hospital and surgeon preferences, priorities and policies are accommodated by the system. The use of resources can be minimized for a given procedure load, or the number of procedures can be maximized given the resources available.



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MW	Malawi
AT	Austria	GE	Georgia	MX	Mexico
AU	Australia	GN	Guinea	NE	Niger
BB	Barbados	CR	Costa Rica	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	IE	Ireland	NZ	New Zealand
BG	Bulgaria	IT	Italy	PL	Poland
BJ	Benin	JP	Japan	PT	Portugal
BR	Brazil	KE	Kenya	RO	Romania
BY	Belarus	KG	Kyrgyzstan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic of Korea	SD	Sudan
CF	Central African Republic	KR	Republic of Korea	SE	Sweden
CG	Congo	KZ	Kazakhstan	SG	Singapore
CH	Switzerland	LI	Liechtenstein	SI	Slovenia
CI	Cote d'Ivoire	LK	Sri Lanka	SK	Slovakia
CM	Cameroun	LR	Liberia	SN	Senegal
CN	China	LT	Lithuania	SE	Sweden
CS	Czechoslovakia	LU	Luxembourg	TD	Chad
CZ	Czech Republic	LV	Latvia	TG	Togo
DE	Germany	MC	Monaco	TJ	Tajikistan
DK	Denmark	MD	Republic of Moldova	TT	Trinidad and Tobago
EE	Estonia	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	UG	Uganda
FI	Finland	MN	Mongolia	US	United States of America
FR	France	MR	Mauritania	UZ	Uzbekistan
GA	Gabon			VM	Viet Nam

WO 97/25682

PCT/US97/00284

-1-

System and Method for Optimal Operating Room Scheduling and Booking

Technical Field

This invention relates to optimal scheduling systems and booking
5 systems, and more particularly to optimal scheduling systems especially suited
for hospitals and clinics.

As pressures mount to reduce health care expenses, hospitals are
searching for ways to reduce their expenditures in order not only to become
more profitable, but also merely to survive. In order to accomplish this,
10 hospitals must address the expenses in those areas where spending is the
greatest in order to effect a significant savings. One of the areas in which
hospitals invest a major portion of their budget is the OR (operating room)
suites. It has been discovered that if the OR suites were to be used in an optimal
way, a significant savings in the hospital's cost could be obtained. In the
15 present application, the term OR is intended to include specialized areas in the
hospital such as PACU and ICU where significant resources are also consumed.

There are several products on the market which provide computerized
booking of surgical cases. These products offer many different features which
help surgery schedulers do their job better, but none of these systems is able to
20 examine the data which it holds and reorganize it so that it is both efficient and
optimal. In addition, it is known that true optimization of a system as complex
as this is a computationally prohibitive operation.

An example of prior art surgical booking systems is shown in U.S.
Patent 4,937,743 to Rassman et al. The Rassman system is basically a booking
25 system which notifies the human user of scheduling conflicts, but it appears to
make no effort to find a schedule which is optimal in a mathematically provable
sense.

Prior art systems could also be improved in other ways. For example, a
human user ultimately makes all the final decisions about the schedule with
30 prior art systems. As a result, a surgeon may unduly influence the schedule in

WO 97/25632

PCT/US97/00284

-2-

ways which benefit the surgeon but increase the costs to the hospital by influencing the scheduler. The result is a schedule which not only is not optimal, but which in fact may be deliberately uneconomic. In addition to the direct costs associated with such an approach, the hospital suffers indirect costs such as the inconvenience and dissatisfaction of the other surgeons.

Moreover, prior art systems are not well equipped to handle unexpected events such as emergencies, case delays, case overruns, add-on cases and case cancellations. The prior art approach to such events is typically ad hoc, and makes no attempt to optimize the revised schedule resulting from such events.

Prior art scheduling systems typically have only one function: booking a schedule. They are not designed to accomplish the related function of improving the policies which govern scheduling. Although scheduling can have a significant effect on the costs incurred by the hospital, present booking systems are not designed as an information gathering tool to explain to hospital administrators why their operating room costs are so high.

Since prior art systems are not designed to optimize the scheduling process, they are not equipped to take into account (other than in the most rudimentary way) the ultimate goals of the hospital, such as maximizing the number of procedures performed or minimizing the resources required to perform the procedures. Prior art booking systems simply take the procedures they are given and attempt to provide an acceptable (as opposed to optimal) schedule.

Background Art

Among the various objects and features of the present invention is the provision of a method of scheduling hospital operating room usage which is optimized.

Another object is the provision of such a method which allows the hospital administrators to determine optimality criteria for operating room usage.

WO 97/25683

PCT/US97/00284

-3-

A third object is the provision of such a method which provides an optimization of the schedule which is completely transparent to the user.

A fourth object is the provision of such a method which prevents the scheduler from changing the schedule merely to accommodate an assertive surgeon while at the same time allowing authorized management personnel to change the optimal schedule.

A fifth object is the provision of such a method which provides the user with a choice of optimal schedules when more than one optimal schedule is available.

A sixth object is the provision of such a method which, to the maximum possible extent, restructures schedules to provide the lowest cost while keeping everyone involved pleased.

A seventh object is the provision of such a method which is capable of generating revised optimal schedules in response to unexpected events such as emergencies, case delays, case overruns, add-on cases and case cancellations.

An eighth object is the provision of such a method which provides intelligent and useful information to hospital administrators concerning ways to improve the operation of their operating rooms.

A ninth object is the provision of such a method which explicitly uses the optimality goals of the hospital, and allows authorized hospital personnel to change those goals as needed.

A tenth object is the provision of such a method which provides optimality of scheduling as well as optimality of resource allocation as desired.

An eleventh object is the provision of such a method which identifies operational patterns and collects historical data to allow simulation of operating room operations for the purpose of management and administration.

A twelfth object is the provision of such a method which is usable as a tool for planning, organization, budgeting and policy making.

A thirteenth object is the provision of such a method which is applicable for all different kinds and sizes of hospitals (such as community hospitals,

WO 97/25682

PCT/US97/00284

-4-

teaching hospitals, private hospitals and government hospitals), with widely varying policies and considerations.

A fourteenth object is the provision of such a method which creates more regular and consistent work day schedules.

5 Other objects and features will be in part apparent and in part pointed out hereinafter.

Briefly, in a first aspect of the present invention, a computer implemented method of optimal scheduling of a plurality of medical procedures by a plurality of surgeons in a set of operating rooms includes the steps of
10 identifying the resources required for performing each of said plurality of medical procedures and determining every feasible schedule for the plurality of medical procedures, taking into account predetermined resource and scheduling preferences and availability. A cost function is assigned to every feasible schedule and a total cost associated with each feasible schedule is determined
15 from said cost functions. The scheduling of the plurality of medical procedures is then optimized, in a mathematically provable sense, taking into account the total cost associated with each feasible schedule and preset optimality criteria.

In a second aspect of the present invention, the computer implemented optimal scheduling method involves "fuzzy scheduling" in that it includes
20 determining preferred starting intervals for each of the plurality of medical procedures. The scheduling of the plurality of medical procedures is optimized in accordance with preset optimality criteria such that to the extent possible each medical procedure is assigned a starting time which falls within its preferred starting interval.

25 In a third aspect of the present invention, the computer implemented optimal scheduling method includes the steps of determining preferred ending times for each of the plurality of medical procedures and optimizing the scheduling of the plurality of medical procedures in accordance with preset optimality criteria such that to the extent possible each medical procedure is
30 assigned to end no later than its associated preferred ending time.

WO 97/25682

PCT/US97/00284

-5-

In a fourth aspect of the present invention, the computer implemented optimal scheduling method includes the steps of determining, by using an AI methodology, a complete set of feasible schedules for the plurality of medical procedures, taking into account predetermined resource and scheduling preferences, assigning a cost function to every feasible schedule of the set, and applying a predetermined procedure to all of the feasible schedules, using the assigned cost functions to obtain a reduced set of schedules. In addition, another predetermined procedure is applied to optimize the reduced set of schedules in accordance with preset optimality criteria.

10 In a fifth aspect of the present invention, the computer implemented optimal scheduling method includes the steps of, for each procedure to be scheduled on a given day, performing a feasibility check to determine if it is possible to schedule the procedure on said day, and subsequent to the feasibility check, optimizing the scheduling of the plurality of medical procedures in accordance with preset optimality criteria.

15 In a sixth aspect of the present invention, the computer implemented optimal scheduling method includes the steps of optimizing the scheduling of the plurality of medical procedures for a given day in accordance with preset optimality criteria to obtain at least one optimal schedule for that day, obtaining data representative of variations between the optimal schedule and actual conditions in the operating rooms during the day, and optimizing a revised schedule for the medical procedures during the day, the revised schedule taking into account the variations between the actual conditions and the initial optimal schedule.

20 In a seventh aspect of the present invention, the computer implemented optimal scheduling method includes the steps of optimizing the scheduling of the plurality of medical procedures for a given day in accordance with preset optimality criteria to obtain, if possible, a plurality of optimal schedules for said day, displaying to a user visual representations of the plurality of optimal

WO 97/25682

PCT/US97/00284

-6-

schedules, said computer being responsive to the selection of one of the plurality of optimal schedules by a user to utilize the selected optimal schedule.

5 In a eighth aspect of the present invention, the computer implemented optimal scheduling method includes the steps of determining preferences relating to at least some of the plurality of medical procedures, optimizing the scheduling of the plurality of medical procedures for a given day in accordance with the preferences and preset optimality criteria to obtain at least one optimal schedule for that day, and identifying any preferences which make it impossible to optimize the scheduling of the plurality of medical procedures.

10 In a ninth aspect of the present invention, the computer implemented optimal scheduling method includes the steps of assigning priorities to the surgeons and to the medical procedures and optimizing the scheduling of the plurality of medical procedures for a given day in accordance with the priorities and preset optimality criteria to obtain at least one optimal schedule for that day.

15 In an tenth aspect of the present invention, the computer implemented optimal scheduling method includes the steps of optimizing the scheduling of the plurality of medical procedures in accordance with preset optimality criteria such that the resources required to perform said plurality of medical procedures are minimized.

20 In an eleventh aspect of the present invention, the computer implemented optimal scheduling method includes the steps of optimizing the scheduling of the plurality of medical procedures in accordance with preset optimality criteria such that the number of medical procedures performed using the resources are maximized.

25 Brief Description of the Drawings

Fig. 1 is a hospital preference screen used in the system of the present invention;

Fig. 2 is a patient input screen used in the system of the present invention;

WO 97/25682

PCT/US97/00284

-7-

Fig. 3 is a patient listing screen used in the system of the present invention;

Fig. 4 is an operating room input screen used in the system of the present invention;

5 Fig. 5 is an operating room listing screen used in the system of the present invention;

Fig. 6 is a procedure input screen used in the system of the present invention;

10 Fig. 7 is a procedures listing screen used in the system of the present invention;

Fig. 8 is a staff input screen used in the system of the present invention;

Fig. 9 is a staff listing screen used in the system of the present invention;

Fig. 10 is a surgeon's preference card screen used in the system of the present invention;

15 Fig. 11 is a case input screen used in the system of the present invention;

Fig. 12 is a case listing screen used in the system of the present invention;

Fig. 13 is a flowchart illustrating the operation of the system of the present invention; and

20 Figs. 14A and 14B are diagrams illustrating the improvement in operation room utilization using the system of the present invention.

Similar reference characters indicate similar parts throughout the several views of the drawings.

Best Mode for Carrying Out the Invention

25 The system of the present invention is a combination booking system and optimization engine. Specifically, the system is a dedicated management and operational software for the OR suites (including PACU, ICU, etc.) that adaptively and intelligently schedules and optimizes the utilization of the OR suite resources (including resource time, operating rooms, staff, inventory, etc.)

30 and minimizes the costs involved in running the OR suites. In the OR suite, the

WO 97/25682

PCT/US97/00284

-8-

present system is all-encompassing. It not only optimally schedules surgeries, but also may be used as a key tool for the hospital administrators. The present system provides the kind of clear data which can be used for extensive planning, organization, budgeting and policy making. This information is a direct result of the system's ability to provide optimal operating room scheduling, staff scheduling (anesthesiologists, CRNAs RNs, Techs, LPRN, SAs in ORs and RNs in PACU/ICU) and optimal inventory control and equipment maintenance.

Functional Performance

The present system is capable of considering and handling all sorts of rules and constraints found in operating rooms and achieves various "best" objectives. These objectives can be predefined or (preferably) specified by individual hospitals. The computational time for the present system ranges from several seconds to several minutes, depending on the size and structure of the hospital. To illustrate the size of the problem being handled, for a typical hospital with 15 ORs and 40 surgical groups, there are hundreds of millions of variables. This problem would be computationally prohibitive, so the present systems significantly reduces the scope of the problem by assigning procedures to a relatively small number of predetermined starting intervals, rather than to predetermined starting times. With this unique approach, the task becomes manageable, and the software is able to identify the feasible schedules (roughly 60,000 or so for the hospital size discussed above), and then to choose among them in order find the optimal one(s) and restructure (in the booking system) the data. For even the largest hospital in the world, the completed optimization time using this unique approach is not expected to exceed 15 minutes.

25 Other Requirements

The present system is designed to be both easy to use and a very powerful tool. GUI interfaces (described in detail below) make the present system easy for anyone to operate, whether they are familiar with it or not. This means that the learning curve to make the present system work for a hospital is very shallow.

WO 97/25682

PCT/US97/00284

-9-

Most of the input data typically comes from the schedulers themselves, while patient and staff information have the option of being accessed through an HIS (hospital information system) or an OR MIS. It is preferred that the data handled by the present system be in a form which complies with the most up-to-date standards, such as the HL7 standard, to facilitate data transfer and interchange. HL7 is at present the new standard for HIS and OR MIS communication. It involves the integration of all information related to the delivery of healthcare to a patient over his or her lifetime (i.e., an electronic medical record). This standard allows all or parts of this electronic medical record to be communicated electronically anywhere else as needed.

The term "Level 7" refers to the highest level of the Open System Interconnection (OSI) model of the International Standards Organization (ISO). In the OSI conceptual model, the functions of both communications software and hardware are separated into seven layers, or levels. The HL7 Standard is primarily focused on the issues that occur within the seventh, or application, level. These are the definitions of the data to be exchanged, the timing of the exchanges, and the communication of certain application specific errors between the applications. HL7 was selected as the standard to adopt for the present system because of its flexibility, its growing acceptance world wide and its capacity to addresses most of the problems faced by systems integration in the healthcare industry today. The HL7 standard currently addresses the interfaces among various systems that send or receive patient admissions/registration, discharge or transfer (ADT) data, queries, orders, results, clinical observations, billing, and master file update information. It does not try to assume a particular architecture with respect to the placement of data within applications but is designed to support a central patient care system as well as more distributed environment where data resides in departmental systems. Later versions of this standard are expected to address topics such as scheduling, medical records, and patient care, all of which are relevant to systems such as the present invention.

WO 97/25682

PCT/US97/00284

-10-

The data that is output from the present system is of two types. The first type is reports which are generated by the system. Some examples of these reports are: schedules for different days, (both optimal and merely feasible), staff assigned to different cases, utilization of equipment, staff and rooms, etc.

- 5 The second type of data which is output from the system is the optimal schedule for a day. The criteria for this optimal schedule can be changed by authorized personal, such as a hospital system administrator.

Once data exists in the present system and is optimized for a given day (the optimization is completely transparent to the user), a schedule which
10 minimizes the hospital's cost for that day in the OR suites exists. If this schedule is followed, then the hospital has saved money. If the cases in the schedule deviate from their estimated lengths or resource usage, a less optimal solution is the result, yet the hospital still saves money over present ad hoc approaches to scheduling.

- 15 As is described in more detail below, the present system is designed such that it dictates what the best schedule is for everyone while taking into account everyone's personal preferences and availability of resources.

The system is further designed to categorize users into groups which have different access levels to the system. This means that depending on a
20 user's group, certain features of the system may or may not be available.

Functional Implementation

- Each hospital has policies concerning the operation and management of the OR suites. For the present system, these policies are made explicit and given relative weights reflecting their importance. This information is stored in
25 the system parameters of the system and is customizable by users with the proper access privileges. Surgical request information is taken and preprocessed together with other information, such as surgeon's profile, patient's health, etc. Once this consolidated surgical request information exists, it is fed into the optimization engine. The optimization engine conducts a two-
30 phase optimal scheduling. The first phase is a feasibility check which allows

WO 97/25682

PCT/US97/00284

-11-

for an immediate confirmation that each surgeon's cases are booked and all relevant preferences are met successfully. The second phase is an optimal global optimization which is activated 48 hours or 72 hours (depending on the hospital's policy) before the day of surgery. The optimal global optimization is done by associating a cost function to every feasible schedule and then trying to find a schedule with minimal cost. The result of the global optimization is a bona fide, mathematically provable optimal schedule(s) according to the chosen criteria of the hospital. At first, the resulting schedules produced drive the staff scheduling and inventory control modules of the system. However, at a later stage in a hospital's use of the system, the optimization can be done by taking all of the above factors into account simultaneously.

The optimization factors and constraints considered and handled by the present system include:

Interaction Factor interactions among surgeons, patients, MD Anesthesiologists, CRNAs, RNs, Techs, SA, etc.

Fluctuation Factor fluctuations of case load and case mix, Time Regulation Rules, OR regular resource time, various shifts, Block release time, over time permitted, etc.

Priority Factor surgeons and cases have priorities, assignable by an authorized administrator.

Preference Factor surgeon's or hospital's preference as to ORs, staff, etc.

Stochasticity Factor variability of procedure time, emergencies, case changes, add-ons and cancellations.

Start Time Constraints e.g., a given time, a given time interval, -either or tomorrow type, waiting list, etc.

Finish Time Constraints a given time.

Compatibility Constraints certain surgeries can be performed in certain ORs; certain CRNAs, RNs can work on certain cases, etc.

Precedence Constraints cases have to follow an order or sequence, either soft follow, hard follow, or parallel follow.

WO 97/25682

PCT/US97/00284

-12-

Block Constraints by services or by surgeons.

Human Resource Constraints staff capacity.

Equipment Resource Constraints availability of equipment.

The objectives that need be achieved with any scheduling system can be expressed in both qualitative measurement and quantitative terms. Qualitative factors include making everyone happy (satisfaction of surgeons, patient and staff and administrators), minimizing the chaotic impact due to unexpected events, and handling of emergency casts in an orderly and efficient manner. Quantitative factors include making the most efficient use of the operating rooms and making the most efficient use of other resource (e.g., staff, equipment, etc.). Note that the factors and constraints which need to be enforced and the objective which needs to be achieved can be specified and set by the hospital administrators with the system of the present invention.

The system is designed to allow priorities to be computed based on the surgeon's credentials, patient needs, acuity level and other factors. When a time or equipment conflict occurs, cases with lower priorities will yield to those with higher ones. If the constraints are violated, the present system identifies the surgical requests that cause the violation. The system then suggests to the scheduler/administrator a possible modification of the surgical requests or the system parameters set by the hospital to resolve the conflict. In addition, the present system collects comprehensive statistics, identifies operational patterns, conducts cost analysis benchmarking and case load/mix projection. It also subsequently activates a simulation process with optimization to suggest to the hospital administration any necessary policy changes and adapts itself to changes in the surgical environment.

It is preferred that the present system be usable on a variety of different computer platforms. By way of example, it is implemented in a Macintosh version. The hardware required a stand-alone version of for the Macintosh end of the software is:

- Power Macintosh with a PowerPC 601, 603 or 604 processor.

WO 97/25682

PCT/US97/00284

-13-

32 MB of RAM.

- 1 GB hard drive,
- 3.5 floppy diskette drive,
- 17" color monitor,
- 5 • keyboard and a mouse,
- UPS (uninterrupted power supply).

Similarly, it may also be implemented in a two part (client and server) Intel-based computer system. For the client machine, the minimum requirements are:

- 10 • 75 MHz Pentium Processor,
- 16 MB of RAM,
- 500 MB hard drive,
- 3.5 floppy diskette drive,
- 17" color monitor,
- 15 • networking adapter,
- keyboard and a mouse,
- UPS (uninterruptible power supply).

The minimum requirements for the Server are:

- 100 MHz Pentium Processor.
- 20 • 32 MB RAM,
- 2 GB hard disk space (2 physical disks),
- 3.5 floppy drive,
- backup device,
- 17" color monitor,
- 25 • networking adapter,
- 28.8 data/fax modem,
- 2 serial, 1 parallel ports,
- standard keyboard, and a mouse,
- Uninterruptible Power Supply (UPS).

WO 97/25682

PCT/US97/00284

-14-

There are a few hardware considerations which are common to both platforms:

- an ink jet or laser printer
- a bar code reader (if data entry is to be done using bar code scanning),
- 5 • the appropriate paging software and hardware (if autopaging of personnel is desired)

A key distinction between the present invention and prior art systems is the use of fuzzy scheduling. This means that instead of allowing surgeons the current practice of specifying exact desired starting (or indeed ending) times, the
10 present system divides the day into a small number of multi-hour periods (early morning, morning, late afternoon, etc.) and allows requests to be made only in terms of these periods. The length, and indeed the definition of these periods are governed by a decision of the hospital administration. This philosophy allows for very efficient optimization, and makes up a significant aspect of the
15 present optimization engine. Part of the process of the optimization is a decision by the hospital administrators as to the length of an "inconvenience period" to be allowed. That period is the time difference between the exact request by the physician and the final disposition of this request. Larger inconvenience periods allow for more efficient optimization, but a smaller
20 degree of satisfaction.

In connection with the optimization, it is preferred that a priority index is first obtained through the prioritization scheme as described above. If no conflicts exist, the priority will not be used. If a conflict does exist, then cases with lower priorities yield to those with higher ones. Adjustments to variables
25 and preferences are modifiable to those users with the appropriate access privileges. This task is greatly simplified due to the GUI interface, also described below. The present system automatically converts these values into system parameters, coefficients and/or constraints which are handled by the optimization engine. The process, of course, is transparent to the users. The
30 optimization objective function includes considerations for overrun time, idle

WO 97/25682

PCT/US97/00284

-15-

time, fixed OR costs, staff costs, etc. The optimization is achieved through a judicious combination of classical mathematical methodologies (for example, mathematical programming, control theory, stochastic approaches, etc.) together with artificial intelligence paradigms such as Fuzzy System Theory, Neural

5 Networks, Rule Based Systems, and Logic Programming.

Some key features of the user interface include: intuitive and simple Graphical User Interface, support for mouse and/or keyboard, Drag and Drop functionality, look and feel consistency with the environment (customizable), Internationalization support (including DBCS), user authentication, several
10 levels of security access (reflected by the interface), help bar on all the screens (fly-by help), quick help option (expanded fly-by help), Hypertext on line reference and a multimedia tutorial.

More specifically, and referring now to the Figures, the graphical user interface includes a system preferences screen such as is shown in Fig. 1. This
15 screen allows an authorized user (system administrator) to change the system preferences such as the time interval (time slot) names and the times associated therewith, the anesthesia types used by the hospital, the service codes and roles of staff members at the hospital, and case display defaults. Other system preferences could also be included if desired. Note, as discussed above, that the
20 present system provides for time slots or time intervals, rather than specific starting times. This allows a surgeon to select a time interval (as described below) for starting a medical procedure, while providing the scheduling system sufficient latitude to optimize the resulting schedule. Without this feature, mathematically provable optimization of the resulting schedules would be
25 computationally prohibitive.

Turning to Fig. 2, there is shown a patient input screen. This screen shows the user (scheduler) an individual patient record, and allows the user to define or modify the record of a patient who is the subject of a case (a proposed medical procedure). A patient record can contain a MRID (medical records

WO 97/25632

PCT/US97/00284

-16-

identification number), a name, a social security number, a birth date, a gender, a home and work telephone number, and (if desired) general comments.

The graphical user interface of the present system further includes, see Fig. 3, a patient listing screen, which shows a listing of patients in consecutive rows. Individual records on this screen may be accessed by double-clicking on the row which represents the record of the patient whose record is to be modified or viewed. New patient records can be added and existing records can be deleted using this screen by clicking on the appropriate boxes on the screen.

Turning to Fig. 4, the graphical user interface also includes operating room input screens such as that shown, which allow the user to define or modify a record of a room used by the hospital. An operating room may be given an ID, a name and a number using this screen. Furthermore, the user may through this screen set minimum operation times for an operating room, as well as default setup, cleanup and roundup times.

Fig. 5 is a graphical user interface screen illustrating a listing of operating rooms. The OR listing screen shown operating rooms listed in consecutive rows. Individual operating room records may be accessed by the user by double-clicking on the row which represents the OR to be modified or viewed. New OR records can be added and existing records deleted from this screen by clicking on the corresponding screen buttons shown.

Fig. 6 illustrates a procedure input screen used in the present system. The procedure input screen allows the user to define or modify a record of a procedure which is used by surgeons in the hospital which has the system installed. A procedure can be given an ID, a name and a service category using this screen. Average times for all surgeons to perform this procedure are calculated by the system and stored in the average procedure time field displayed on this screen. Average setup and cleanup times for procedures are calculated and stored as well. The screen of Fig. 6 is also linked to a procedure/equipment screen (not shown) which allows the hospital to set default equipment for the various procedures.

W 97/25682

PCT/US97/00284

-17-

The graphical user interface also includes a procedures listing screen (Fig. 7), which shows a listing of procedures in consecutive rows. Individual procedure records may be accessed by double-clicking on the row which represents the procedure to be modified or viewed. New procedure records can be added to the system and existing records deleted by clicking on the corresponding screen buttons of Fig. 7.

Fig. 8 shows a staff input screen used in the present system. This screen allows the user to define or modify a record of a staff member (surgeon, anesthesiologist, RN, CRNA, etc.) in the hospital. A staff member can be given an ID, a first and last name, a staff title and a service title using this screen. Various telephone numbers where each staff member can be reached are stored as well. If the current record displayed in this screen is a surgeon, then the surgeon's preference card screen (Fig. 10) can be accessed directly (by clicking on the "Procedures Performed" button on the screen) and updated.

The staff listing screen is shown in Fig. 9. This screen displays a listing of staff members in consecutive rows. Individual records can be accessed by the user by double-clicking on the row which represents the staff member whose record is to be modified or viewed. New staff member records can be added and existing records can be deleted by clicking on the corresponding buttons on this screen.

Fig. 10 shows a surgeon preference card screen used in the present system. This card screen is used to create, modify and delete preference cards for surgeons. A preference card shows the equipment, materials and supplies which a surgeon selects (prefers) for a particular procedure. All definitions, modifications and deletions on this screen are done by dragging and dropping, which significantly reduces the possibility for error.

The graphical user interface of the present invention also includes a case input screen as shown in Fig. 11. The case input screen allows the user to add or modify a record of a case in the hospital. A case can be assigned a patient, staff members, procedures, etc., and can hold all relevant information related to

WO 97/25682

PCT/US97/00284

-18-

a case. The lower half of this screen is divided into four different sections: scheduling, pre-op information, peri-op information, and post-op information. Within the scheduling section of the screen, four fields are significant: requested OR, preferred start time, preferred end time, and estimated length. The requested OR field is filled in automatically by the system whenever a surgeon and a procedure are selected for a case. Based on these two pieces of information, the system determines which operating rooms can be used and which cannot be used, and supplies the user with a listing of those rooms in the requested OR field. The preferred start time field is directly related to the 'system preference' time slot names and times. By selecting a preferred start interval, the scheduler can guarantee the surgeon that his case will start some time in that interval. The preferred end time field can be used if a case should not run any later than the time specified in that field. The estimated length field gives an averaged approximation of how long it will take a surgeon to perform a particular procedure.

Fig. 12 illustrates the case listing screen of the present system. This screen shows a listing of cases in consecutive rows. Individual records can be accessed by double-clicking on the row which represents the case to be modified or viewed. New case records can be added and existing records can be deleted from this screen by clicking on the appropriate buttons. The system displays a utilization graph in the top left corner of this screen and shows room utilization for the day selected on the calendar in the top right corner of the screen. A block diagram of room usage for a day can also be reached from this screen by clicking on the button labeled "Graph." Cases which already exist for a particular day can easily be rescheduled by dragging the line in which the case appears onto a different date on the calendar.

The overall operation of the present system is summarized in the flowchart of Fig. 13. The top line represents various requests, goals, and constraints, such as surgical requests (surgeon's requests, requested time intervals, preferred finish time, etc.), OR availability, OR releasing and

WO 97/25682

PCT/US97/00284

-19-

allocation policy, optimality criteria (either preset or as set by the hospital, as discussed above), and hospital policies such as proactive and reactive emergency policies. The next line of Fig. 13 represents various categories of input data such as whether block booking (procedure or surgeon) or first
5 come/first served booking is desired (leftmost block); whether the system is performing its initial feasibility check (next block); whether the system is performing long term optimization (which takes into account such things as OR availability, surgical requests, and preferences of room and time); whether the system is performing short term optimization (reflecting short term changes in
10 OR availability); and real time input data (rightmost block).

Once the relevant data is input, it is preprocessed to, for example, detect contradictory requests, case grouping, case prioritizing, and OR grouping. Then each feasible schedule is determined by the system. Thereafter, the data is further processed to eliminate special equipment conflicts and the like. If the
15 number of feasible schedules is too large, at this point more formal optimization could also be used.

At this stage in the process, the system and constraints are modeled as follows:

Given this model, the scheduling problem may be solved using various
20 mathematical programming paradigms, utilizing in part commercially available linear or nonlinear programming software, such as LINDO or CPLEX, in addition to the special methodology used to obtain a sufficiently tractable set of feasible schedules, which are the target objects for optimization.

If the optimization is successful, the user is notified. If more than one
25 schedule is optimal, the user is given a choice, which then becomes the schedule for that particular day. In the event the schedule cannot be successfully optimized, the user is informed not only that the process has failed to find an optimal schedule but also identifies what caused the problem. If the problem can be solved simply by adjusting times or dates, the system informs the user of
30 that fact and provides alternatives. If the changed times or dates are acceptable,

W 97/25682

PCT/US97/00284

-20-

the user restarts the process with the new time or date. If not, the procedure which caused the optimization failure is turned away.

It has been found that the present system results in greatly improved efficiency in the utilization of operating rooms. This is indicated in Figs. 14A and 14B for a hospital having fifteen operating rooms. Using conventional methods, the OR utilization rate in Fig. 14A is 65.6%. Using the present system, that utilization rate is increased to 84.4% and many of the operating rooms are not used at all. Over a period of a week, the average increase in utilization rate was twenty-four per cent and substantial savings in surgeon time and nurse time.

In view of the above, it will be seen that all the objects and features of the present invention are achieved, and other advantageous results obtained. The description of the invention contained herein is illustrative only, and is not intended in a limiting sense.

WO 97/25682

PCT/US97/00284

-21-

Claims

1. A method, using a computer with a memory, of optimal scheduling of a plurality of medical procedures by a plurality of surgeons in a set of operating rooms, comprising identifying the resources required for performing each of
5 said plurality of medical procedures; determining every feasible schedule for said plurality of medical procedures, taking into account predetermined resource and scheduling preferences and availability; assigning a cost function to every feasible schedule; determining from said cost functions a total cost associated with each feasible schedule; and optimizing the scheduling of said plurality of
10 medical procedures, taking into account said total cost associated with each feasible schedule and preset optimality criteria.
2. The optimal scheduling method as set forth in claim 1 wherein one of the resources required is at least one of the operating rooms, further including the step of excluding from consideration for a particular medical procedure
15 those operating rooms which lack some feature which said particular medical procedure requires.
3. The optimal scheduling method as set forth in claim 1 wherein the scheduling preferences include requests for particular operating rooms.
4. The optimal scheduling method as set forth in claim 1 wherein the
20 scheduling preferences include requests for a particular starting interval for a particular medical procedure.
5. The optimal scheduling method as set forth in claim 1 wherein the scheduling preferences include requests for a particular ending time for a particular medical procedure.
- 25 6. The optimal scheduling method as set forth in claim 1 wherein the scheduling preferences include operating room releasing and allocation policies.
7. The optimal scheduling method as set forth in claim 1 wherein the scheduling preferences include block booking of a particular operating room.
8. The optimal scheduling method as set forth in claim 1 wherein the
30 scheduling preferences include block booking of a particular surgeon.

WO 97/25682

PCT/US97/00284

-22-

9. The optimal scheduling method as set forth in claim 1 wherein the preset optimality criteria are prestored in the computer.
10. The optimal scheduling method as set forth in claim 9 wherein the preset optimality criteria are alterable by an authorized user of the computer.
- 5 11. The optimal scheduling method as set forth in claim 1 wherein the preset optimality criteria include minimizing inconvenience to surgeons.
12. The optimal scheduling method as set forth in claim 1 wherein the preset optimality criteria include maximizing the number of procedures performed.
13. The optimal scheduling method as set forth in claim 1 wherein the preset
10 optimality criteria include minimizing the direct and indirect costs associated with the schedule.
14. The optimal scheduling method as set forth in claim 1 wherein the preset optimality criteria include predetermined usage patterns of personnel.
15. The optimal scheduling method as set forth in claim 1 wherein each
15 optimality criterion is assigned a weight corresponding to the importance assigned to that particular optimality criterion, so that the optimization includes taking into account the relative importance of the various optimality criteria.
16. The optimal scheduling method as set forth in claim 1 further including
20 the step of notifying a user, in response to a request for scheduling a medical procedure, whether scheduling said procedure is feasible, said notification occurring before the schedule including that procedure is optimized.
17. The optimal scheduling method as set forth in claim 16 wherein the computer in determining whether scheduling a procedure is feasible takes into account whether all constraints are met, but does not assign an exact time and
25 operating room for said procedure until optimization.
18. The optimal scheduling method as set forth in claim 17 wherein one of the constraints the computer uses in determining whether scheduling a procedure is feasible is a preferred starting interval for said procedure.

WO 97/25682

PCT/US97/00284

-23-

19. The optimal scheduling method as set forth in claim 16 wherein the computer performs the optimization for a particular day a predetermined amount of time prior to said day.
20. The optimal scheduling method as set forth in claim 19 wherein said
5 predetermined amount of time is at least forty-eight hours prior to the particular day.
21. The optimal scheduling method as set forth in claim 19 wherein the computer performs a subsequent optimization of the schedule for a particular day, taking into account short term changes in constraints such as operating
10 room availability and actual conditions in the operating rooms on the day of the schedule.
22. The optimal scheduling method as set forth in claim 1 further including the step of identifying contradictory scheduling preferences and notifying a user of same.
- 15 23. The optimal scheduling method as set forth in claim 1 further including the step of assigning priorities to the various medical procedures and surgeons, said computer being responsive to the preset priorities to optimize the scheduling of said plurality of medical procedures taking said priorities into account.
- 20 24. The optimal scheduling method as set forth in claim 1 wherein some of the resources required for performing the medical procedures are pieces of special equipment, said method further including eliminating otherwise feasible schedules which involve conflicts in the use of special equipment.
25. The optimal scheduling method as set forth in claim 1 wherein the
25 optimizing step includes identifying all feasible schedules which are optimal, and providing a representation of all such optimal schedules to a user for manual selection of the one optimal schedule which is to be used.
26. The optimal scheduling method as set forth in claim 1 wherein the step
30 of identifying the resources required for performing each of said plurality of medical procedures includes, for each surgeon performing a particular

WO 97/25683

PCT/US97/00284

-24-

procedure, a prepared list of the equipment said surgeon prefers to use in performing said particular procedure.

27. The optimal scheduling method as set forth in claim 1 wherein the step of identifying the resources required includes setup, cleanup and roundup times
5 for particular operating rooms.

28. The optimal scheduling method as set forth in claim 1 wherein the step of identifying the resources required includes average setup, procedure, and cleanup times for particular medical procedures.

29. A method, using a computer with a memory, of booking a plurality of
10 medical procedures by a plurality of surgeons in a set of operating rooms, comprising identifying the resources required for performing each of said plurality of medical procedures; determining preferred ending times at least some of said plurality of medical procedures; booking said plurality of medical procedures so that all of said procedures having a preferred ending time are
15 scheduled to end no later than their preferred ending times.

30. The method of booking a plurality of medical procedures as set forth in claim 29 wherein the booking of said procedures having preferred ending times takes into account a predetermined average time for each of said procedures.

31. A method, using a computer with a memory, of optimal scheduling of a
20 plurality of medical procedures by a plurality of surgeons in a set of operating rooms, comprising identifying the resources required for performing each of said plurality of medical procedures; determining preferred starting intervals for each of said plurality of medical procedures; optimizing the scheduling of said plurality of medical procedures in accordance with preset optimality criteria
25 such that to the extent possible each medical procedure is assigned a starting time which falls within its preferred starting interval.

32. The optimal scheduling method as set forth in claim 31 wherein the preferred starting intervals are selected from a preprogrammed set of starting intervals.

WO 97/25682

PCT/US97/00284

-25-

33. The optimal scheduling method as set forth in claim 32 wherein the set of starting intervals may be modified by an authorized user of the computer.

34. The optimal scheduling method as set forth in claim 31 further including determining preferred ending times for each of said plurality of medical procedures, said optimizing step including optimizing the scheduling of said plurality of medical procedures such that to the extent possible each medical procedure is assigned to end no later than its associated preferred ending time.

35. The optimal scheduling method as set forth in claim 31 further including selecting preferred operating rooms for at least some of the medical procedures, said optimizing step including taking the operating room preferences into account to the extent possible in determining the optimal schedule.

36. The optimal scheduling method as set forth in claim 31 further including the step of assigning priorities to the various medical procedures and surgeons, said computer being responsive to the preset priorities to optimize the scheduling of said plurality of medical procedures taking said priorities into account.

37. A method, using a computer with a memory, of optimal scheduling of a plurality of medical procedures by a plurality of surgeons in a set of operating rooms, comprising identifying the resources required for performing each of said plurality of medical procedures; determining preferred ending times for each of said plurality of medical procedures; optimizing the scheduling of said plurality of medical procedures in accordance with preset optimality criteria such that to the extent possible each medical procedure is assigned to end no later than its associated preferred ending time.

38. The optimal scheduling method as set forth in claim 37 further including the step of assigning predetermined starting intervals for each of said plurality of medical procedures, the optimizing step including constraining the schedule such that each medical procedure, to the extent possible, is scheduled to start within its predetermined starting interval and stop no later than its preferred ending time.

W 97/25682

PCT/US97/00284

-26-

39. The optimal scheduling method as set forth in claim 38 further including the step of notifying a user of the computer in the event that all medical procedures cannot be scheduled to start within their associated predetermined starting interval and stop no later than their preferred ending time.

5 40. A method, using a computer with a memory, of optimal scheduling of a plurality of medical procedures by a plurality of surgeons in a set of operating rooms, comprising identifying the resources required for performing each of said plurality of medical procedures; for each procedure to be scheduled on a given day, performing a feasibility check to determine if it is possible to
10 schedule said procedure on said day; subsequent to the feasibility check, optimizing the scheduling of said plurality of medical procedures in accordance with preset optimality criteria.

41. A method, using a computer with a memory, of optimal scheduling of a plurality of medical procedures by a plurality of surgeons in a set of operating
15 rooms, comprising identifying the resources required for performing each of said plurality of medical procedures; optimizing the scheduling of said plurality of medical procedures for a given day in accordance with preset optimality criteria to obtain at least one optimal schedule for said day; obtaining data representative of variations between said optimal schedule and actual conditions
20 in the operating rooms during said day; optimizing a revised schedule for said medical procedures during said day, said revised schedule taking into account said variations between the actual conditions and the initial optimal schedule.

42. A method, using a computer with a memory, of optimal scheduling of a plurality of medical procedures by a plurality of surgeons in a set of operating
25 rooms, comprising identifying the resources required for performing each of said plurality of medical procedures; optimizing the scheduling of said plurality of medical procedures for a given day in accordance with preset optimality criteria to obtain, if possible, a plurality of optimal schedules for said day; displaying to a user visual representations of said plurality of optimal schedules,

W 97/25682

PCT/US97/00284

-27-

said computer being responsive to the selection of one of said plurality of optimal schedules by a user to utilize said selected optimal schedule.

43. A method, using a computer with a memory, of optimal scheduling of a plurality of medical procedures by a plurality of surgeons in a set of operating
5 rooms, comprising identifying the resources required for performing each of said plurality of medical procedures; determining preferences relating to at least some of the plurality of medical procedures; optimizing the scheduling of said plurality of medical procedures for a given day in accordance with said preferences and preset optimality criteria to obtain at least one optimal schedule
10 for said day; identifying any preferences which make it impossible to optimize the scheduling of said plurality of medical procedures.

44. A method, using a computer with a memory, of optimal scheduling of a plurality of medical procedures by a plurality of surgeons in a set of operating rooms, comprising identifying the resources required for performing each of
15 said plurality of medical procedures; assigning priorities to the surgeons and to the medical procedures; optimizing the scheduling of said plurality of medical procedures for a given day in accordance with said priorities and preset optimality criteria to obtain at least one optimal schedule for said day.

45. The optimal scheduling method as set forth in claim 44 wherein the
20 priorities assigned may be changed only by an authorized user of the computer.

46. A method, using a computer with a memory, of optimal scheduling of a plurality of medical procedures by a plurality of surgeons in a set of operating rooms, comprising identifying the resources required for performing each of
25 said plurality of medical procedures; optimizing the scheduling of said plurality of medical procedures in accordance with preset optimality criteria such that the resources required to perform said plurality of medical procedures are minimized.

47. A method, using a computer with a memory, of optimal scheduling of a plurality of medical procedures by a plurality of surgeons in a set of operating
30 rooms, comprising identifying the resources required for performing each of

WO 97/25682

PCT/US97/00284

-28-

said plurality of medical procedures; optimizing the scheduling of said plurality of medical procedures in accordance with preset optimality criteria such that the number of medical procedures performed using the resources are maximized.

48. A method, using a computer with a memory, of booking a plurality of
5 medical procedures by a plurality of surgeons in a set of operating rooms, comprising identifying the resources required for performing each of said plurality of medical procedures; determining preferred starting intervals for each of said plurality of medical procedures; booking said plurality of medical procedures such that, to the extent possible, all of said medical procedures are
10 scheduled to start within their corresponding preferred starting intervals.

49. The method of booking a plurality of medical procedures as set forth in claim 48 wherein the computer has stored therein a predetermined set of preferred starting intervals, said step of determining preferred starting intervals including selecting a preferred starting interval from said predetermined set.

15 50. The method of booking a plurality of medical procedures as set forth in claim 49 wherein the predetermined set of preferred starting intervals is small in number.

51. The method of booking a plurality of medical procedures as set forth in claim 49 wherein the predetermined set of preferred starting intervals is set by
20 an authorized user of the computer.

52. The method of booking a plurality of medical procedures as set forth in claim 51 wherein the authorized user sets both the number and length of said preferred starting intervals.

53. An optimal scheduling method, comprising determining preferred
25 starting intervals for each of a plurality of tasks to be performed; optimizing the scheduling of said plurality of tasks in accordance with preset optimality criteria such that to the extent possible each task is assigned a starting time which falls within its preferred starting interval.

WO 97/25682

PCT/US97/00284

-29-

54. The optimal scheduling method as set forth in claim 53 wherein the preferred starting intervals are selected from a preprogrammed set of starting intervals.

55. The optimal scheduling method as set forth in claim 54 wherein the set
5 of starting intervals may be modified by an authorized user of the computer.

56. The optimal scheduling method as set forth in claim 53 further including determining preferred ending times for each of said plurality of tasks, said optimizing step including optimizing the scheduling of said plurality of tasks such that to the extent possible each task is assigned to end no later than its
10 associated preferred ending time.

57. A method, using a computer with a memory, of optimal scheduling of a plurality of tasks, comprising determining preferred ending times for at least some of said plurality of tasks; optimizing the scheduling of said plurality of tasks in accordance with preset optimality criteria such that to the extent
15 possible each task is assigned to end no later than its associated preferred ending time.

58. The optimal scheduling method as set forth in claim 57 further including the step of assigning predetermined starting intervals for each of said plurality of tasks, the optimizing step including constraining the schedule such that each
20 task, to the extent possible, is scheduled to start within its predetermined starting interval and stop no later than its preferred ending time.

WO 9725682

PCT/US97/00284

1/10

PREFERENCES	
<div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;">TIME SLOTS</div> <div style="display: flex; justify-content: space-between; align-items: flex-start;"> <div style="width: 30%;"> <div style="border: 1px solid black; padding: 2px; margin-bottom: 2px;"> <div style="display: flex; justify-content: space-between;"> + - </div> <div style="border: 1px solid black; padding: 2px;"> MORNING EARLY MORNING LATE MORNING MIDDAY AFTERNOON </div> </div> </div> <div style="width: 65%;"> <div style="display: flex; justify-content: space-between;"> <div>TIME SLOT NAME:</div> <div>START TIME</div> <div>END TIME</div> </div> <div style="display: flex; justify-content: space-between; margin-top: 5px;"> <div style="border: 1px solid black; padding: 2px;">MORNING</div> <div style="border: 1px solid black; padding: 2px;">07:00</div> <div style="border: 1px solid black; padding: 2px;">11:30</div> </div> </div> </div>	
<div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;">ANESTHESIA TYPE</div> <div style="display: flex; justify-content: space-between; align-items: flex-start;"> <div style="width: 30%;"> <div style="border: 1px solid black; padding: 2px; margin-bottom: 2px;"> <div style="display: flex; justify-content: space-between;"> + - </div> <div style="border: 1px solid black; padding: 2px;"> CHOICE EP GENERAL IVR LOCAL </div> </div> </div> <div style="width: 65%;"> <div>ANESTHESIA TYPE:</div> <div style="border: 1px solid black; padding: 2px; margin-top: 5px;">CHOICE</div> </div> </div>	
<div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;">SERVICE CODES AND ROLES</div> <div style="display: flex; justify-content: space-between; align-items: flex-start;"> <div style="width: 45%;"> <div style="border: 1px solid black; padding: 2px; margin-bottom: 2px;"> <div style="display: flex; justify-content: space-between;"> + - </div> <div style="border: 1px solid black; padding: 2px;"> SURGEON ANESTHESIOLOGIST C.R.N.A. CIRCULATOR R.N. </div> </div> <div style="margin-top: 5px;"> <div>SERVICE CODE:</div> <div style="border: 1px solid black; padding: 2px;">SURGEON</div> </div> </div> <div style="width: 45%;"> <div style="border: 1px solid black; padding: 2px; margin-bottom: 2px;"> <div style="display: flex; justify-content: space-between;"> + - </div> <div style="border: 1px solid black; padding: 2px;"> SURGEON ASST. SURGEON RESIDENT </div> </div> <div style="margin-top: 5px;"> <div>HIERARCHY #</div> <div style="border: 1px solid black; padding: 2px;">1</div> </div> <div style="margin-top: 5px;"> <div>ROLE</div> <div style="border: 1px solid black; padding: 2px;">SURGEON</div> </div> </div> </div>	
<div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;">CASES DISPLAY DEFAULTS</div> <div style="display: flex; justify-content: space-between; align-items: flex-start;"> <div style="width: 45%;"> <div>START TIME:</div> <div style="border: 1px solid black; padding: 2px;">07:00</div> </div> <div style="width: 45%;"> <div>TIME INTERVAL:</div> <div style="border: 1px solid black; padding: 2px;">30 (IN MINUTES)</div> </div> </div> <div style="display: flex; justify-content: space-between; margin-top: 5px;"> <div> <div>HOURS TO SHOW:</div> <div style="border: 1px solid black; padding: 2px;">12</div> </div> <div> <div>NUMBER OF OR'S:</div> <div style="border: 1px solid black; padding: 2px;">10</div> </div> </div>	
<div style="display: flex; justify-content: center; gap: 20px;"> <div style="border: 1px solid black; padding: 5px; text-align: center;"> X CANCEL </div> <div style="border: 1px solid black; padding: 5px; text-align: center;"> ✓ ACCEPT </div> </div>	

FIG. 1

WO 97/25682

PCT/US97/00284

2/10

PATIENT			
SOCIAL SECURITY NO.	654-64-9874		
MEDICAL RECORD ID	W0000004		
FIRST NAME	JEFFREY	M.I.	F
LAST NAME	STILLERS		
DOB	8/9/65	AGE	30.4
SEX	<input checked="" type="radio"/> MALE <input type="radio"/> FEMALE		
HOME PHONE	314 987-6543		
WORK PHONE	314 987-6543		
COMMENTS	<div></div>		
<div>CANCEL</div> <div>ACCEPT</div>			

FIG. 2

PATIENTS		
SOCIAL SECURITY NO.	FIRST NAME	LAST NAME
997-98-1649	DORIS	BORISKOV
987-98-7987	KELLY	JONSON
212-21-1212	OTTO	CHEN
954-61-9548	WILLIAM	GREENSTEAD
654-87-9452	MICHAEL	PULLMAN
547-21-5478	ROBERT	OBERMEYER
654-65-4987	HAROLD	GERBER
646-54-6546	RONALD	LINCOLN
987-95-1651	JULIA	HANDLEMAN
216-54-5748	BILL	HICKORY
<div>DELETE</div> <div>EXIT</div> <div>ADD</div>		

FIG. 3

WO 9725682

PCT/US97/00284

3/10

OPERATING ROOMS

OR ID

OR NAME

OR NO.

MINIMUM OPERATION TIME

DEFAULT SETUP TIME

DEFAULT CLEANUP TIME

DEFAULT ROUNDRIP TIME

OR COMMENTS

THESE ARE COMMENTS FOR SPECIAL OPERATING ROOM 1

☒ ACCEPT
 ☒ CANCEL

FIG. 4

OPERATING ROOMS

OR ID	OR NAME	OR NO.
1	SPECIAL OPERATING ROOM	1
2	OPEN HEART SURGERY ROOM	2

FIG. 5

WO 97/25682

PCT/US97/00284

4/10

PROCEDURE	
PROCEDURE ID	1234567893
PROCEDURE NAME	TEST PROCEDURE NUMBER 3
SERVICE CATEGORY	NONE
AVERAGE PROCEDURE TIME	10:00
AVERAGE SETUP TIME	00:10
AVERAGE CLEANUP TIME	00:10
SPECIAL EQUIPMENT REQUIRED	<input checked="" type="radio"/> YES <input type="radio"/> NO
DESCRIPTION	NO DESCRIPTION AS OF YET FOR TEST PROCEDURE NUMBER 3
COMMENTS	NO COMMENTS AS OF YET ALSO

EQUIPMENT REQUIRED

ACCEPT CANCEL

FIG. 6

PROCEDURES				
PROCEDURE ID	PROCEDURE NAME	AVG. TIME	AVG. SETUP	AVG. CLEANUP
1234567891	TEST PROCEDURE NUMBER 1	10:00	00:10	00:10
1234567892	TEST PROCEDURE NUMBER 2	10:00	00:10	00:10
1234567893	TEST PROCEDURE NUMBER 3	10:00	00:10	00:10
1234567894	TEST PROCEDURE NUMBER 4	10:00	00:10	00:10
1234567895	TEST PROCEDURE NUMBER 5	10:00	00:10	00:10
1234567896	TEST PROCEDURE NUMBER 6	10:00	00:10	00:10
1234567897	TEST PROCEDURE NUMBER 7	10:00	00:10	00:10
1234567898	TEST PROCEDURE NUMBER 8	10:00	00:10	00:10
1234567899	TEST PROCEDURE NUMBER 9	10:00	00:10	00:10

DELETE EXIT ADD

FIG. 7

WO 97125682

PCT/US97/00284

5/10

STAFF

STAFF ID NO.

FIRST NAME

LAST NAME

STAFF TITLE

SERVICE TITLE ☒

OFFICE PHONE

PAGER PHONE PAGER EXT.

HOME PHONE

EMERGENCY PHONE

FIG. 8

STAFF

ID NUMBER	FIRST NAME	LAST NAME	SERVICE TITLE
123456	OLIVER	LIPSKY	SURGEON
654987654	SERGIO	COOPERMAN	SURGEON
631657494	VICTOR	HANSON	SURGEON
584214	BRAD	DUPONT	SURGEON
967987	STEVE	COOKIE	SURGEON
98798	DAVID	MORGAN	SURGEON
6218787	LAWRENCE	HENDERSON	SURGEON
879872418A	GEORGE	PETERSON	SURGEON
54544454	FRED	RICHARDS	SURGEON
8798758654	MICHAEL	GREGORY	SURGEON

FIG. 9

WO 97/25682

PCT/US97/00284

6/10

SURGEON'S PREFERENCE CARD OPTIONS

SURGEON

NEWERSON, LAURENCE

HANSON, VICTOR

DUPONT, BRAD

COOKIE, STEVE

RICHARDS, FRED

COOPERMAN, SERGIO

PROCEDURES WHICH THE SELECTED SURGEON PERFORMS

TEST PROCEDURE NUMBER 6

TEST PROCEDURE NUMBER 7

TEST PROCEDURE NUMBER 8

TEST PROCEDURE NUMBER 9

EQUIPMENT WHICH THE SELECTED SURGEON PREFERS

LASER

FORCEPS

PROCEDURES

TEST PROCEDURE NUMBER 1

TEST PROCEDURE NUMBER 2

TEST PROCEDURE NUMBER 3

TEST PROCEDURE NUMBER 4

TEST PROCEDURE NUMBER 5

TEST PROCEDURE NUMBER 6

TEST PROCEDURE NUMBER 7

TEST PROCEDURE NUMBER 8

TEST PROCEDURE NUMBER 9

EQUIPMENT

CAUTERIZER

CLAMP

FORCEPS

LASER

SCALPEL

SPONGE

CANCEL

ACCEPT

TRASH

FIG. 10

WO 9725682

PCT/US97/00284

7/10

CASE ID [951101018] DATE [12/1/95] MARKED <input checked="" type="radio"/> YES <input type="radio"/> NO TIME LAST MODIFIED [12:30] DATE LAST MODIFIED [11/17/95]	
PATIENT NAME <input type="checkbox"/> SMITH, JOHN AGE [33.11] DOB [12/30/62] HOME PHONE [16541987-9815] NO ID [118-3208457] WORK PHONE [1631249-8719]	
STAFF <input checked="" type="checkbox"/> ACCEPT <input checked="" type="checkbox"/> CANCEL <input type="checkbox"/> OUTPAT. BRAD <input checked="" type="checkbox"/> SURGEON	
PROCEDURE PROCEDURES <input type="checkbox"/> TEST PROCEDURE NUMBER 1 <input type="checkbox"/> ANESTHESIA TYPE DESCRIPTION <input type="checkbox"/>	
SCHEDULING REQUESTED OR IS <input type="checkbox"/> IN/OUT PATIENT <input type="checkbox"/> TP <input type="checkbox"/> SPECIAL <input type="checkbox"/> PREFERRED START TIME [07:00] [3:30] PREFERRED END TIME [00:00] SCHEDULED OR <input type="checkbox"/> SCHEDULED BY DESIGNER <input type="checkbox"/>	PRO-OP INFO SCHEDULED ON [11/1/95] ESTIMATED LENGTH [02:00] DATE PREFERRED [03/03/00] HARD/SOFT FOLLOW <input type="checkbox"/> PRECEDING CASE NO <input type="checkbox"/> ADMITTING NO <input type="checkbox"/> ADMITTING NO 10 <input type="checkbox"/>
DAY NOTES <input type="text"/>	ROOM NOTES <input type="text"/>
POST-OP INFO <input type="text"/>	

FIG. 11

WO 97/25682

PCT/US97/00284

8/10




FIG. 12

WO 97/25682

PCT/US97/00284

9/10




FIG. 13

W 97/25682

PCT/US97/00284

10/10




FIG. 14A




FIG. 14B

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US97/00224

A. CLASSIFICATION OF SUBJECT MATTER IPC(6) : G06F 19/00 US CL : 393/257 According to International Patent Classification (IPC) or to both national classification and IPC		
B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) U.S. : 393/207, 202, 208, 209; 364/468.06, 468.07, 468.09, 468.13 Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched NONE Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) APS search terms: operating room, icu, pacu, surgery, booking, scheduling		
C. DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US 4,937,743 A (RASSMAN et al) 26 June 1990, see the abstract, figs. 1, col. 2 line 59 to col. 3 line 39.	1-58
Y,E	US 6,615,121 A (BABAYEV et al) 26 March 1997, see the abstract, figs. 1-2.	1-58
Y,P	US 5,586,021 A (FARGHER et al) 17 December 1996, see the abstract, col. 2 line 9 to col. 3 line 30.	1-58
Y	US 5,111,391 A (FIELDS et al) 05 May 1992, see the abstract, figs. 1a, 1b, 2, 4b, col. 1 line 64 to col. 2 line 35.	1-58
A	US 5,406,476 A (DEZIEL, JR. et al) 11 April 1995, see the abstract.	1-58
<input checked="" type="checkbox"/> Further documents are listed in the continuation of Box C. <input type="checkbox"/> See patent family aspect.		
* Special categories of cited documents *A* documents defining the general state of the art which is not considered to be of particular relevance *B* earlier document published on or after the international filing date *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) *O* documents referring to an oral disclosure, use, exhibition or other means *P* documents published prior to the international filing date but later than the priority date claimed	*T* later document published after the international filing date or priority date and not in conflict with the application but cited to understate the principle or theory underlying the invention *I* document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone *Y* document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art *A* documents member of the same patent family	
Date of the actual completion of the international search 27 MARCH 1997		Date of mailing of the international search report 02 JUN 1997
Name and mailing address of the ISA/US Commissioner of Patents and Trademarks Box PCT Washington, D.C. 20231 Facsimile No. (703) 305-3230		Authorized officer ROBERT A. WEINHARDT Telephone No. (703) 305-3900

Form PCT/ISA/210 (second sheet) (July 1992)*

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US97/00284

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 5,442,561 A (YOSHIZAWA et al) 15 August 1995, see the abstract.	1-58
A	US 5,072,379 A (EBERHARDT) 10 December 1991, see the abstract.	1-58
A	US 5,216,593 A (DIETRICH et al) 01 June 1993, see the abstract.	1-58
A	US 5,260,868 A (GUPTA et al) 09 November 1993, see the abstract.	1-58
A	US 5,303,170 A (VALKO) 12 April 1994, see the abstract.	1-58

Form PCT/ISA/210 (continuation of second sheet)(July 1992)*